



Code OCODES01

DESCRIPTION

Code wooden stool, 4 metal legs, 750mm hith seat.

OPTIONS

Set of silent anti-scratch felt pads and glides

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) 🎌


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut.

LEGS / FRAME / BASE

4-leg metal frame made from 2mm thick 16mmØ steel tube, in chrome or epoxy powder coated. Polypropylene glides.



OCODES01





CODE STOOL, UPHOLSTERED SEAT 750MM HIGH _{Code} ocodes11

DESCRIPTION

Code wooden stool, upholstered seati, 4 metal legs, 750mm hith seat.

OPTIONS

Set of silent anti-scratch felt pads and glides

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) 🎌


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut. Fixed upholstered seat pad made from 20mm highly elastic cut-to-size polyurethane foam sheet.

LEGS / FRAME / BASE

4-leg metal frame made from 2mm thick 16mmØ steel tube, in chrome or epoxy powder coated. Polypropylene glides.



OCODES11







Code OCODEV01

DESCRIPTION

Code wooden chair, 4 metal legs.

OPTIONS

Set of silent anti-scratch felt pads and glides

NOTES

Stackable up to 6 high On request only: powder coated shell in a special finish (8-unit minimum order) On request only: powder coated frame in a special finish (30-unit minimum order)


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut.

LEGS / FRAME / BASE

4-leg metal frame made from 2mm thick 18mmØ steel tube, in chrome or epoxy powder coated. Polypropylene glides.



OCODEV01

TECHNICAL DATASHEET



offisit.com





DESCRIPTION Code wooden chair, sled base in metal.

NOTES

Stackable up to 6 high On request only: powder coated shell in a special finish (8-unit minimum order)

SPECIFICATIONS


STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut.

LEGS / FRAME / BASE

Sled base made from 12mmØ chromed steel rod. Polyethylene glides.





OCODEV02

TECHNICAL DATASHEET



Dimensions in millimeters





Code OCODEV03

DESCRIPTION

Code wooden chair, 4 wooden legs.

OPTIONS

Nylon feet supplied with felt pads for wooden flooring

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) On request only: powder coated frame in a special finish (8-unit minimum order)


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut.

LEGS / FRAME / BASE

4-leg frame made from tapered ash solid wood, 36mmø max/24mmø min. VVarnished in natural ash or walnut finish or lacquered in white, anthracite, red or ochre. Polypropylene glides.



OCODEV03





CODE, UPHOLSTERED SEAT, 4 METAL LEGS Code OCODEV11

DESCRIPTION

Code wooden chair, upholstered seat, 4 metal legs.

OPTIONS

Set of silent anti-scratch felt pads and glides

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) On request only: powder coated frame in a special finish (30-unit minimum order)


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut. Fixed upholstered seat pad made from 20mm highly elastic cut-to-size polyurethane foam sheet.

LEGS / FRAME / BASE

4-leg metal frame made from 2mm thick 18mmØ steel tube, in chrome or epoxy powder coated. Polypropylene glides.



OCODEV11

TECHNICAL DATASHEET



offisit.com



DESCRIPTION

Code wooden chair, upholstered seat, sled base in metal.

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) 🏶


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut. Fixed upholstered seat pad made from 20mm highly elastic cut-to-size polyurethane foam sheet.

LEGS / FRAME / BASE

Sled base made from 12mmØ chromed steel rod. Polyethylene glides.



OCODEV12

TECHNICAL DATASHEET



Dimensions in millimeters



DESCRIPTION

Code wooden chair, upholstered seat, 4 wooden legs.

OPTIONS

Nylon feet supplied with felt pads for wooden flooring

NOTES

On request only: powder coated shell in a special finish (8-unit minimum order) On request only: powder coated frame in a special finish (8-unit minimum order)


SPECIFICATIONS

STRUCTURE

Beech plywood shell finished in lacquer or veneered and varnished in natural ash or walnut. Fixed upholstered seat pad made from 20mm highly elastic cut-to-size polyurethane foam sheet.

LEGS / FRAME / BASE

4-leg frame made from tapered ash solid wood, 36mmø max/24mmø min. VVarnished in natural ash or walnut finish or lacquered in white, anthracite, red or ochre. Polypropylene glides.



OCODEV13

