

# Coffee tables



# T01, T02, T03

## SPECIFICATION SHEET

### MFC TOP

30mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) circular (T01, T03) or square (T02) top finished with 2mm matching straight ABS impact resistant edges.  
Panel density: 670/730 kgs per cubic meter

Finish options:



### METAL FRAMES

T01 - epoxy powder coated steel column base made of a 1.5mm thick ø80mm column and a 6mm Ø500mm base. Translucid seal along the perimeter of the base to prevent marking.

T02 - epoxy powder coated steel column base made of a 1.5mm thick 60x60mm square column and a 6mm thick 480x480mm square pyramid shaped base. Translucid seal along the perimeter of the base to prevent marking.

T03 - single-piece cone-shaped 1mm thick epoxy powder coated steel weighted base. Includes adhesive felt pads to prevent marking.

Finish options:



T01, T02, T03  
Coffee tables

SPECIFICATION  
SHEET

## SPECIFICATION SHEET

### MFC TOP

30mm easy to clean scratch-resistant anti-reflective melamine faced chipboard (MFC) top finished with 2mm matching straight ABS impact resistant edges. Radiused corners. Panel density: 670/730 kgs per cubic meter

Finish options:



### GLASS TOP

12mm tempered safety floating glass top finished with 1.5mm 45° polished edges.

Finish options:



\* Back painted in a light green finish using scratch-resistant ceramic enamels

### METAL FRAME

Metal trumpet base leg made of a cone-shaped column (140mm max dia, 100mm min dia) and a Ø590mm 6mm steel molded base. The top screws to a metal plate linking the top to the column base. Supplied epoxy powder coated.

Finiture



# SUSTAINABILITY & CERTIFICATIONS



## MATERIALS AND RECYCLABILITY

Panels used on Coffee tables range are exclusively 100% made by recycled wood and respect low formaldehyde emission (CATAS certification Quality Award Formaldehyde E1). Resins used on panels and melamine paper are SVHC substances free (reported on ECHA list update to 12/01/2017).



## CERTIFICATIONS

Constantly receptive to market requirements, Quadrifoglio Group pay special attention on quality and safety contents in order to provide high products and services. The Company has reached certifications UNI EN ISO 9001/2008, UNI EN ISO 14001/2004 and BS OHSAS 18001/2007 to confirm his policy. Our products are certified and ensured by FSC™ and ECOLOGICAL PANEL.

COMPANY WITH  
MANAGEMENT SYSTEM  
CERTIFIED BY DNV GL  
= ISO 9001 =  
= ISO 14001 =  
= OHSAS 18001 =



## GREEN ENERGY

The Company had installed the photovoltaic system with 4.500 solar panels in a 7.350 m<sup>2</sup> surface that covers almost entirely the factory. The photovoltaic is able to produce 1Mw of a quiet green energy, that does not harm the environment and is waste-free. With his high production capacity the photovoltaic allows us to reduce emissions in the atmosphere of all those polluting substances and to those that contribute to the greenhouse effects. Consequently, such measures make us save every year 180 tonne of petrol oil, 440 tonne of CO<sub>2</sub>, 514kg of sulphur dioxide, 448 kg of nitrogen oxide and 23kg of dust.



## TRANSPORT

Packaging is reduced in order to decrease volumes. Goods collections are responsibly managed and organised with the aim of optimise transports, reducing atmosphere emissions.